

Band Saws



JDD160 Band Saw

Motor : 120V ~ 60 HZ, 2.1A 14.5m/s

Max Cutting Depth: 40mm

Max Cutting Width: 150mm

Table Size: 240 X 200mm

Table Tilting Range 0° ~ 45°

Blade Length: 1085mm

Width: 3.5mm

Teeth: 15TPI

Thickness: 0.3mm

Exterior Size: 355 X 325 X 550mm

Packing Size: 310 X 250 X 580mm

G.W/N.W.:12/10.5Kgs

Loading Amount: 644PCS/20'; 1288PCS/40'



JDD 200 Band Saw

Motor : 120V ~ 60 HZ, 2.2A 16.4m/s

Max Cutting Depth: 80mm

Max Cutting Width: 190mm

Table Size: 300 X 300mm

290 X 290mm

Table Tilting Range 0° ~ 45°

Blade Length: 1425mm

Width: 6.35mm

Teeth: 6TPI

Thickness: 0.3mm

Exterior Size: 430 X 355 X 665mm

Packing Size: 365 X 285 X 710mm

G.W/N.W.:19/17Kgs

Loading Amount: 396PCS/20'; 792PCS/40'



JDD 200A Band Saw

Motor : 120V ~ 60 HZ, 2.2A 17.6m/s

Max Cutting Depth: 80mm

Max Cutting Width: 190mm

Table Size: 300 X 300mm
290 X 290mm

Table Tilting Range 0° ~ 45°

Blade Length: 1425mm

Width: 6.35mm

Teeth: 6TPI

Thickness: 0.3mm

Exterior Size: 435 X 355 X 710mm

Packing Size: 380 X 280 X 755mm

G.W/N.W.:19/17Kgs

Loading Amount: 360PCS/20'; 744PCS/40'



JDD 240 Band Saw

Motor : 120V ~ 60 HZ, 2.2A 13.9m/s

Max Cutting Depth: 80mm

Max Cutting Width: 230mm

Table Size: 300 X 300mm
290 X 290mm

Table Tilting Range 0° ~ 45°

Blade Length: 1511mm

Width: 6.35mm

Teeth: 6TPI

Thickness: 0.3mm

Exterior Size: 495 X 290 X 725mm

Packing Size: 460 X 290 X 765mm

G.W/N.W.:18/16Kgs

Loading Amount: 285PCS/20'; 580PCS/40'



JDD 315 Band Saw

Motor : 120V ~ 60 HZ, 4A 6.3/13.2m/s

Max Cutting Depth: 130mm

Max Cutting Width: 305mm

Table Size: 495 X 390mm

Table Tilting Range 0° ~ 45°

Blade Length: 2234mm

Width: 12.5mm

Teeth: 4TPI

Thickness: 0.5mm

Exterior Size: 675 X 530 X 1065mm

Packing Size: 1125 X 600 X 478mm

G.W/N.W.:65/61Kgs

Loading Amount: 72PCS/20'; 144PCS/40'



JDD 315A Band Saw

Motor : 120V ~ 60 HZ, 4A 6.3/13.2m/s

Max Cutting Depth: 130mm

Max Cutting Width: 305mm

Table Size: 495 X 390mm

Table Tilting Range 0° ~ 45°

Blade Length: 2234mm

Width: 12.5mm

Teeth: 4TPI

Thickness: 0.5mm

Exterior Size: 660 X 630 X 1061mm

Packing Size: 1105 X 524 X 490mm

G.W/N.W.:65/61Kgs

Loading Amount: 88PCS/20'; 176PCS/40'