


Scroll Saws

MQ40 Scroll Saw



Motor : 120V ~ 60 HZ, 0.85A 1650RPM

Max Cutting Depth: 40mm

Max Cutting Width: 325mm

Table Size: 305 X 185mm

Table Tilting Range: 0° ~ 45°

Blade Length: 133mm

Width: 2.6mm

Teeth: 18 TPI

Thickness: 0.25mm


Exterior Size: 465 X 240 X 280mm

Packing Size: 510 X 290 X 320mm

G.W/N.W.:9/7Kgs

Loading Amount: 745PCS/20'; 1490PCS/40'

MQ50 Scroll Saw



Motor : 120V ~ 60 HZ, 0.85A 1650RPM

Max Cutting Depth: 50mm

Max Cutting Width: 406mm

Table Size: 365 X 200mm

Table Tilting Range: 0° ~ 45°

Blade Length: 133mm

Width: 2.6mm

Teeth: 18 TPI

Thickness: 0.25mm

Exterior Size: 540 X 250 X 320mm

Packing Size: 575 X 280 X 335mm

G.W/N.W.:16/14.5Kgs

Loading Amount: 540PCS/20'; 1080PCS/40'



MQ50 II Scroll Saw

Motor : 120V ~ 60 HZ, 0.85A 1650RPM

Max Cutting Depth: 50mm

Max Cutting Width: 410mm

Table Size: 375 X 250mm

Table Tilting Range: 0° ~ 45°

Blade Length: 133mm

Width: 2.6mm

Teeth: 18 TPI

Thickness: 0.25mm

Exterior Size: 580 X 280 X 340mm

Packing Size: 592 X 283 X 330mm

G.W/N.W.:13/11.5Kgs

Loading Amount: 524PCS/20'; 1048PCS/40'



MQW50 II Scroll Saw

Motor : 120V ~ 60 HZ, 1.2A

Motor Speed: 400 ~ 1600RPM

Max Cutting Depth: 50mm

Max Cutting Width: 406mm

Table Size: 380 X 250mm

Table Tilting Range: -15° ~ 45°

Blade Length: 133mm

Width: 2.6mm

Teeth: 18 TPI

Thickness: 0.25mm

Exterior Size: 570 X 300 X 330mm

Packing Size: 640 X 340 X 365mm

G.W/N.W.:15/13Kgs

Loading Amount: 408PCS/20'; 916PCS/40'



MQW60 Scroll Saw

Motor : 120V ~ 60 HZ, 1.4A

Motor Speed: 700 ~ 1400RPM

Max Cutting Depth: 60mm

Max Cutting Width: 558mm

Table Size: 4380 X 228mm

Table Tilting Range: 0° ~ 30°

Blade Length: 133mm

Width: 2.6mm

Teeth: 18 TPI

Thickness: 0.25mm

Exterior Size: 736 X 264 X 382mm

Packing Size: 770 X 407 X 330mm

G.W/N.W.:23.5/21Kgs

Loading Amount: 280PCS/20'; 560PCS/40'



MQW50 III Scroll Saw

Motor : 120V ~ 60 HZ, 2A, 5000RPM

Max Cutting Depth: 2 inch (50mm)

Max Cutting Width: 18 inch (457mm)

Saw Blade Speed: 400 ~ 1600RPM

Grind Head Speed: 1200 ~ 4500RPM

Table Size: 625 X 330mm

Extension Table Size: 136 X 180mm

Table Tilting Range: Left/Right 45°

Blade Length: 127mm

Width: 2.6mm

Teeth: 18 TPI

Thickness: 0.3mm

Exterior Size: 720 X 530 X 410mm

Packing Size: 785 X 445 X 465mm

G.W/N.W.:21.5/24.5Kgs

Loading Amount: 210PCS/20'; 450PCS/40'